



NO.2119017924



# Shippection 货物运输条件鉴定书

### Certification for Safe Transport of Chemical Goods

### 锂电池类货物

样品名称:

锂亚硫酰氯电池 ER18505 3.6V 3.8Ah 13.68Wh

Sample name:

Li/SOCL2 Battery ER18505 3.6V 3.8Ah 13.68Wh

委托单位:

惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd

生产单位:

惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd



测有阻公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd





		Certification for Safe Transport of Ch	emical Goods	Page 1/	
样品名称 Sample	中文 Chinese	锂亚硫酰氯电池 ER18505 3.6V			
name	英文 English	Li/SOCL2 Battery ER18505 3.6V 3.8Ah 13.68Wh			
委托单位 Consignor		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd			
生产单位 Manufacturer		惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd			
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2016版) IMO International Maritime Dangerous Goods Code (2016 Edition)			
样品外观 Sample appearance		黑色、红色、类白色三色圆柱型塑料薄膜外壳 Black and red and off-white Cylinder plastics film shell			
包装件信息 Package information		重量≤30kg。 Weight≤30kg.			
	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
	「充电锂金属电池芯 pary Li-metal cell	ER18505	3.8Ah / 0.98g	电池单独运输 Battery only	
I DENTIFICATION CONCLUSION	1. 危险性识别 (Hazards identification) 理金属电池。 Lithium metal battery.  2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.  3. 包装要求 (Packaging requirements) 无。 None.  **Example Code**  **Issue Date: 2018-12-06  **Effective Date: 2019-01-01				
备注 Comment			(29)		

批准 Approver: 指小W

审核 Checker:

主检 Appraiser:

品价



## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2119017924 Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things			
1	R告所述锂电池按照《国际海运危险货物规则》(2016版)2.9.4.5规定的质量管理体系进行制造。 hium cells and batteries listed in this report were manufactured under the quality management gramme as described in IMDG CODE 2016 EDITION 2.9.4.5.			
2	述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 够承受1.2m跌落试验。 cells and batteries listed in this report are of the types proven to meet the requirements of each the test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The has passed the 1.2m drop test.			
3	池完全封装在内包装内,位于坚固的外包装中。 ium cells and batteries are packed in inner packagings that completely enclose the cell or ery and placed in a strong outer packaging.			
4	适当的防短路措施。 I batteries are properly protected to prevent short circuits.			
5	包装件必须标示恰当的锂电池标记。 package shall be marked with the appropriate lithium battery mark.			
6				
7				
	-验证码:246543-			



## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2119017924 Page 3/3



\*\*\*报告结束\*\*\*